

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	55	"5752881" "6887157" "6817946" "6517437"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 08:26
S2	3	gaming adj machine and fresnel	USPAT	OR	OFF	2006/12/06 11:43
S3	0	gaming adj machine and lens and magnify	USPAT	OR	OFF	2006/12/06 11:43
S4	8	("20030087690" "5752881" "6135884" "6887157").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 08:18
S5	6465	display and scaling and lens and unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 08:18
S6	98	display and scaling and lens and unit and gaming	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 08:18
S7	5	display and scaling and lens and unit and gaming and stop and payout	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 08:21
S8	13288	variable adj display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 08:21

## EAST Search History

S9	940	variable adj display adj unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 08:21
S10	35	variable adj display adj unit and gaming	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:30
S11	218	display adj scaling	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 11:13
S12	1556	display adj unit and slot and scal\$3 and front	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 11:24
S13	73	display adj unit and slot and gaming and scal\$3 and front	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 11:53
S14	6	display adj unit and slot and gaming and scal\$3 and front and lens	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 11:25
S15	2	"5752881".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 11:55

## EAST Search History

S16	2	"6135884".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 11:59
S17	0	scaling adj unit and frame and long adj hole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 11:59
S19	96	scaling adj unit and frame and hole and display and motor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 12:00
S20	7	scaling adj unit and frame and hole and display and motor and lens	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 15:07
S21	2	"6315660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 15:36
S22	2	"6113495".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 15:36
S23	2	("20030087690").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:21

## EAST Search History

S24	14	"2274010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:22
S25	6	"4436171"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:22
S26	4	variable adj display adj unit and gaming	USPAT	OR	OFF	2007/07/21 10:30
S27	108	scaling adj unit and frame and hole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:37
S28	1	scaling adj unit and frame and hole and cam and motor and display and variable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:37
S29	3	display adj scaling and motor and frame and lens	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:39
S30	13289	variable adj display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:39
S31	754	display and frame and motor and lens and boss	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:39

## EAST Search History

S32	31	display and frame and motor and lens and boss and spring and anchor and horizontal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:42
S33	4215	display and gaming and variable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:43
S34	379	variable adj display and gaming	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:43
S35	28	variable adj display and gaming and scal\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:43
S36	36	variable adj display and gaming and lens	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:43
S37	35	variable adj display and gaming and lens and frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:43
S38	1	variable adj display and gaming and lens and frame and cam and motor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:44

## EAST Search History

S39	35	variable adj display and gaming and lens and frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 08:07
S40	2	"4371870".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:45
S41	3	"6600527".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:49
S42	339	motegi and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:58
S43	12	motegi and display and gaming	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:59
S44	15658	(convex or fresnal) and lens and frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 10:59
S45	4	(convex or fresnal) and lens and frame and anchor adj pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:00

## EAST Search History

S46	1241	(convex or fresnal) and lens and frame and cam and motor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:00
S47	672	(convex or fresnal) and lens and frame and cam and motor and hole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:00
S48	612	(convex or fresnal) and lens and frame and cam and motor and hole and front	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:00
S49	508	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:00
S50	1	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and bolt adj shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:01
S51	45	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and bolt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:01
S52	441	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:01

## EAST Search History

S53	369	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:01
S54	342	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:01
S55	143	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:01
S56	2	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit and display and front adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:02
S57	143	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:04
S58	94	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit and display and liquid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:04
S59	58	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit and display and liquid and variable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:05



## EAST Search History

S60	7	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit and display and gaming	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:05
S61	94	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit and display and slot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:05
S62	0	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit and display and casino	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:05
S63	20	(convex or fresnal) and lens and frame and cam and motor and hole and front and rear and shaft and remov\$4 and unit and display and variable and scaling	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:06
S64	3	"20030026005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:06
S65	5	"6817946"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:07
S66	55	("2274010" "4371870")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:07

## EAST Search History

S67	14	("2274010" "4371870.pn.")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:07
S68	23	("2274010" "4371870.pn." "6600527".pn. "6817946".pn. "20030026005")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/23 11:51
S69	2	"4371870".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:15
S70	3	"6600527".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:15
S71	3	"6817946".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:17
S72	3	"20030026005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 11:17
S73	201	gaming and display and okada and variable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/23 11:52

## EAST Search History

S74	201	gaming and variable and display and okada	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/23 11:52
S75	110	gaming and variable and display and okada	USPAT	OR	OFF	2007/07/23 11:52
S76	20	gaming and variable and display and okada and variable adj display	USPAT	OR	OFF	2007/07/23 11:56
S77	1	display adj scaling adj unit	USPAT	OR	OFF	2007/07/23 11:57
S78	95	display adj scaling	USPAT	OR	OFF	2007/07/23 11:57
S79	0	display adj scaling and motor and hole and cam and frame	USPAT	OR	OFF	2007/07/23 11:57
S80	8339	display and unit and motor and cam	USPAT	OR	OFF	2007/07/23 11:57
S81	74	display and unit and motor and cam and hole and shaft and scaling	USPAT	OR	OFF	2007/07/23 11:58
S82	861	display adj unit and variable and scaling	USPAT	OR	OFF	2007/07/23 11:58
S83	166	display adj unit and variable and scaling and motor	USPAT	OR	OFF	2007/07/23 11:58
S84	80	display adj unit and variable and scaling and motor and shaft	USPAT	OR	OFF	2007/07/23 11:58
S85	6	display adj unit and variable and scaling and motor and shaft and cam	USPAT	OR	OFF	2007/07/23 11:58
S86	369	display adj device and motor and cam and hole and shaft	USPAT	OR	OFF	2007/07/23 11:58
S87	547	display and lens and movable and fresnel and convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 08:08
S88	329	display and lens and movable and fresnel and convex and front and rear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 08:08
S89	195	display and lens and movable and fresnel and convex and front and rear	USPAT	OR	OFF	2007/07/24 08:14

## EAST Search History

S90	5021	display and front and rear and scal\$4 and lens	USPAT	OR	OFF	2007/07/24 08:15
S91	635	display and front and rear and scal\$4 and lens and fresnel	USPAT	OR	OFF	2007/07/24 08:15
S92	344	display and front and rear and scal\$4 and lens and fresnel and convex	USPAT	OR	OFF	2007/07/24 08:15
S93	325	display and front and rear and scal\$4 and lens and fresnel and convex and image\$1	USPAT	OR	OFF	2007/07/24 08:15
S94	111	display and front and rear and scal\$4 and lens and fresnel and convex and image\$1 and symbol\$1	USPAT	OR	OFF	2007/07/24 09:21
S95	0	display adj scaling adj unit and okada	USPAT	OR	OFF	2007/07/24 09:22
S96	0	display adj scaling adj unit and okada	US-PGPUB	OR	OFF	2007/07/24 09:22
S97	10	variable adj display adj unit and okada	US-PGPUB	OR	OFF	2007/07/24 09:23
S98	1	"20040209671"	US-PGPUB	OR	OFF	2007/07/24 09:23
S99	2	("5752881").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:08
S10 0	1	S99 and display and liquid near crystal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:10
S10 1	0	S99 and controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:09
S10 2	0	S99 and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:09

## EAST Search History

S10 3	0	S99 and scaling	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:20
S10 4	4	"2003087690"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:20
S10 5	0	de4436171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:21
S10 6	14	"2274010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:58
S10 7	0	de4436171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:25
S10 8	6	"4436171"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:26
S10 9	4	"2003087690"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:26

## EAST Search History

S11 0	2	"2002175466"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:27
S11 1	536	display near scaling	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:31
S11 2	13	display near scaling and lens and (convex or fresnel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:27
S11 3	16	display near scaling and (convex or fresnel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:28
S11 4	36	display near scaling and first adj display and second adj display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:31
S11 5	0	scaling near unit and frame and lens near frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:32
S11 6	71	scaling and lens near frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:32

## EAST Search History

S11 7	18	scaling and lens near frame and pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:32
S11 8	6	scaling and lens near frame and pin and motor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:32
S11 9	5	scaling and lens near frame and pin and motor and shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:33
S12 0	857	lens near frame and pin and motor and shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:33
S12 1	633	lens near frame and pin and motor and shaft and cam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:33
S12 2	1	lens near frame and anchor near pin and motor and shaft and cam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:33
S12 3	456	lens near frame and pin and motor and shaft and cam and hole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:34

## EAST Search History

S12 4	46	lens near frame and pin and motor and shaft and cam and long adj hole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:34
S12 5	1	lens near frame and pin and motor and shaft and cam and long adj hole and screw adj boss	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:34
S12 6	1	lens near frame and pin and motor and shaft and cam and long adj hole and screw near boss	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:34
S12 7	9	lens near frame and pin and motor and shaft and cam and long adj hole and boss	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:34
S12 8	4	"5506629".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:54
S12 9	14	"2274010"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 10:04
S13 0	0	gb2274010	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 09:59



## EAST Search History

S13 1	306	gaming adj machine and multiple near display\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 10:04
S13 2	49	gaming adj machine and second adj display and lcd	USPAT	OR	OFF	2007/11/19 10:05